EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S74	49	717/126.ccls. and ((run$1time) same (executable or application or binary or platform or processor or hardware)) and (run$1time same (compil$6 or link$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/03 09:02
S73	3	717/126.ccls. and ((run$1time adj library) same (executable or application or binary or platform or processor or hardware)) and (run$1time same (compil$6 or link$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/03 09:02
S72	1	717/126.ccls. and ((run$1time adj library) same (platform or processor or hardware)) and (run$1time same (compil$6 or link$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/03 09:02
S70	2	717/137.ccls. and (user same kernel same mode same driver) and (os or (operating adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/03 09:00
S69	2	717/137.ccls. and (user same kernel same mode same driver same (os or (operating adj system)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/03 09:00
S68	32	719/321.ccls. and ((device with driver with user with kernel) same (os or (operating adj system) or platform or processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/03 08:55
S67	49	719/321.ccls. and (device with driver with user with kernel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/03 08:55
S1	1	10/039035	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/03 08:54
S66	36	(((user or application) adj2 mode) with driver with kernel with (includ$4 or compris$4 or divid$4 or split$4 or hav$4)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/02 13:14
S65	26	(((user or application) adj2 mode) with driver with kernel with (includ$4 or compris$4 or split$4 or hav$4)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/02 13:14
S64	12	(((user or application) adj2 mode) with driver with kernel) and (driver same schedul$6) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/02 12:52

S62	15	(((user or application) adj2 mode) with driver) and (driver same schedul$6) and @ay<"2002" and (kernel same driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/02 12:49
S61	25	(((user or application) adj2 mode) with driver) and (driver same schedul$6) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/02 12:41
S59	2	(driver same ((user or application) adj2 mode) same (kernel adj2 mode)) and @ay<"2002" and ((run$1time near2 library) same (platform or hardware or processor or (operating adj system) or os))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/02 12:39
S55	13	(driver same ((user or application) adj2 mode) same (kernel adj2 mode)) and @ay<"2002" and ((run$1time) with (platform or hardware or processor or (operating adj system) or os))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/02 12:36
S57	11	(driver same ((user or application) adj2 mode) same (kernel adj2 mode)) and @ay<"2002" and ((run$1time) with (platform or hardware or processor or (operating adj system) or os)) and ((compil$6 or link$4) with run$1time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/02 12:30
S56	11	(driver same ((user or application) adj2 mode) same (kernel adj2 mode)) and @ay<"2002" and ((run$1time) with (platform or hardware or processor or (operating adj system) or os)) and ((compil$6 or link$4) same run$1time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/02 12:30
S54	203	(driver same ((user or application) adj2 mode) same (kernel adj2 mode)) and @ay<"2002" ((driver or run$1time) with (platform or hardware or processor or (operating adj system) or os))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/02 12:28
S53	225	(driver same ((user or application) adj2 mode) same (kernel adj2 mode)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/02 12:27
S52	253	(driver same ((user or application) adj2 mode) same kernel) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/02 12:27
S51	615	(driver same ((user or application) adj2 mode)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/02 12:26
S48	19	((platform or processor or hardware or os or (operating adj system)) with (run$1time adj library)) and @ay<"2003" and ((byte$6 or object or il or intermediate or class) same (run$time adj library) same (compil$6 or link$4) same (executable or binary or image))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 12:52

S47	41	((platform or processor or hardware or os or (operating adj system)) with (run$1time adj library)) and @ay<"2003" and ((byte$6 or object or il or intermediate or class) same (run$time adj library) same (compil$6 or link$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 12:51
S46	34	((platform or processor or hardware or os or (operating adj system)) with (run$1time adj library)) and @ay<"2003" and ((byte$6 or object or il or intermediate or class) same (run$time adj library) same compil$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 12:50
S45	73	((platform or processor or hardware or os or (operating adj system)) with (run$1time adj library)) and @ay<"2003" and ((byte$6 or object or il or intermediate or class) same (run$time adj library))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 12:50
S44	172	((platform or processor or hardware or os or (operating adj system)) with (run$1time adj library)) and @ay<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 12:49
S43	146	((platform or processor or hardware or os or (operating adj system)) with (run$1time adj library)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 12:49
S42	30	((object or byte$6 or il or intermediate or class) same (run$1time adj library) same (compil$6 or link$4) same ((executable or program or binary or image) near4 (single or unique or one or a))) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 12:48
S41	59	((object or byte$6 or il or intermediate or class) same (run$1time adj library) same (compil$6 or link$4) same (executable or program or binary or image) same (single or unique or one or a)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 12:43
S40	25	((object or byte$6 or il or intermediate or class) same (run$1time adj library) same (compil$6 or link$4) same (executable or program or binary or image)) and @ay<"2002" and ((run$1time adj library) with (platform or hardware or os or (operating adj system)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 12:42
S39	25	((object or byte$6 or il or intermediate or class) same (run$1time adj library) same (compil$6 or link44)) and @ay<"2002" and ((run$1time adj library) with (platform or hardware or os or (operating adj system)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 12:41
S38	114	((object or byte$6 or il or intermediate or class) same (run$1time adj library) same (compil$6 or link44)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 12:18
S37	259	((object or byte$6 or il or intermediate or class) same (run$1time adj library)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 12:17

S29	40	((run$1time adj2 library) with (hardware or platform or target or processor)) and @ay<"2002" and (compil$6 with (object or byte$6 or il or intermediate)) and ((run$1time adj2 library) same (compil$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 10:47
S28	58	((run$1time adj2 library) with (hardware or platform or target or processor)) and @ay<"2002" and (compil$6 with (object or byte$6 or il or intermediate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 09:49
S27	58	((run$1time adj2 library) with (hardware or platform or target or processor)) and @ay<"2002" and (compil$6 with (object or byte$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 09:49
S26	107	((run$1time adj2 library) with (hardware or platform or target or processor)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 09:48
S25	16	((library near2 run$1time) with (instrument$4 or add$4 or link$4 or compil$6)) and @ay<"2002" and (((single or unique or one or only or a) near4 (executable or program or image or application)) with compil$6) and (compil$6 same (byte$6 or intermediate or il or object)) and ((select$4 or choos$4 or determin$6 or specif$6) with (run$1time adj2 library))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/06/01 09:47
S24	83	((library near2 run$1time) with (instrument$4 or add$4 or link$4 or compil$6)) and @ay<"2002" and (((single or unique or one or only or a) near4 (executable or program or image or application)) with compil$6) and (compil$6 same (byte$6 or intermediate or il or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 17:39
S23	88	((library near2 run$1time) with (instrument$4 or add$4 or link$4 or compil$6)) and @ay<"2002" and (((single or unique or one or only or a) near4 (executable or program or image or application)) with compil$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 17:38
S22	155	((library near2 run$1time) with (instrument$4 or add$4 or link$4 or compil$6)) and @ay<"2002" and (((single or unique or one or only or a) near4 (executable or program or image or application)) same compil$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 17:33
S21	385	((library near2 run$1time) with (instrument$4 or add$4 or link$4 or compil$6)) and @ay<"2002" and ((single or unique or one or only or a) near4 (executable or program or image or application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 17:33
S20	390	((library near2 run$1time) with (instrument$4 or add$4 or link$4 or compil$6)) and @ay<"2002" and ((single or unique or one or only) with (executable or program or image or application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 17:32
S19	392	((library near2 run$1time) with (link$4 or compil$6)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 17:30

EAST Search History

S18	510	((library near2 run$1time) same (link$4 or compil$6)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 17:30
S17	22	((hardware near2 (descript$4 or language)) and (run$1time near2 library)) and @ay<"2002" and compil$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 17:29
S16	25	((hardware near2 (descript$4 or language)) and (run$1time near2 library)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 17:19
S15	0	((hardware near2 (descript$4 or language)) same (run$1time near2 library)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 17:18
S14	502	((hardware near2 (descript$4 or language)) same (run$1time or library)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 17:18
S13	2	09/746157 and (executable or run$4time or library or byte$4 or jvm or just or compil$6 or object or single or unique or generat$4 or intermediate or il or target or device or hardware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 17:17
S10	2	(compil$6 same (program or byte$6 or code or software or application or object or il or intermediate) same (run$1time or (run$6 near2 library)) same ((unique or single) near6 executable)) and @ay<"2002" and (jit or (just$6time) or (just adj2 time) or jvm or (virtual adj2 machine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 16:58
S9	265	(compil$6 same (program or byte$6 or code or software or application or object or il or intermediate) same (run$1time or (run$6 near2 library)) same executable) and @ay<"2002" and (jit or (just$6time) or (just adj2 time) or jvm or (virtual adj2 machine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 16:53
S8	1	(compil$6 same (program or byte$6 or code or software or application or object or il or intermediate) same (run$6 near2 library) same executable) and @ay<"2002" and (jit or (just$6time) or (just adj2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 16:51
S7	121	(compil$6 same (program or byte$6 or code or software or application or object or il or intermediate) same (run$6 near2 library) same executable) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 16:43
S6	321	(compil$6 same (program or byte$6 or code or software or application or object or il or intermediate) same (run$6 near2 library)) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 16:41

EAST Search History

S3	628	(compil$6 same (program or byte$6 or code or software or application or object or il or intermediate) same (hardware near3 (language or descript$5))) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 16:40
S5	1	10/039035 and ((run$6 near2 program) or runtime)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 16:35
S4	1	10/039035 and (run$6 near2 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 16:35
S2	5222	(compil$6 same (program or byte$6 or code or software or application or object) same hardware) and @ay<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/31 16:33